Fujitsu recommends Windows® 7.

Data Sheet
Fujitsu LIFEBOOK S761 Notebook

Boundless Mobility on the Road

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S761. This 1.6 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime and Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Slim mobility
Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to use.
- Lightweight notebook starting from only 1.6 kg, long battery runtime, extra-thin modular bay for a second battery, an optical drive or world's first bay projector from Fujitsu, optional embeded 3G/ UMTS

Latest performance
The latest Intel® technology ensures high performance and mobile productivity.
- Up to 2nd generation Intel® Core™i7 processors, Intel® QM67 chipset, Intel® vPro™ technology as option

Ergonomic working
Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn't disturb pointing operation.
- Anti-glare display, 16:9 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, optional port replicator
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Reliable companion
Secure and effective working even for the most demanding of users in all situations.
- Spill-resistant keyboard, ShockSensor, optional magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Maximum security
Protect your company data against unauthorized third-party access.
- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software

Fujitsu recommends Windows® 7.

Components

Processor	Intel® Core™ i7-2640M processor (2.8 GHz, 4 MB)	
	Intel® Core™ i7-2620M processor (2.7 GHz, 4 MB)	
	Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)	
	Intel® Core™ i5-2430M processor (2.4 GHz, 3 MB) *	
	Intel® Core™ i5-2410M processor (2.3 GHz, 3 MB) *	
	Intel® Core™ i3-2330M processor (2.2 GHz, 3 MB) *	
	Intel® Core™ i3-2310M processor (2.1 GHz, 3 MB) *	
	Intel® Core™ i5-2540M processor (2.60 GHz, 3 MB)	
	Intel® Celeron® processor B810 (1.6 GHz, 2 MB)	
Operating system		
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit	
Operating system compatible	Genuine Windows® XP Professional	
Operating system notes	Driver support for Microsoft® Windows® XP	
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
Base unit memory	**LIFEBOOK S761, 13.3-inch HD**	**LIFEBOOK S761, 13.3-inch HD (for projects only)**
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch	
	SSD SATA, 128 GB, 2.5-inch	
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)	
WLAN (optional)	Atheros Minicard b/g/n	
	Intel® Centrino® 6205 802.11 a/b/g/n	
Wireless technologies		
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas (optional), 1 Bluetooth antenna	
WLAN notes	Import and usage according to country-specific regulations.	
WiDi support	Yes (with Intel W-LAN)	
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)	
Bluetooth (optional)	Bluetooth 3.0	
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m	
	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m	

Fujitsu recommends Windows® 7.

Modular bay options	2nd battery	
	Bay Projector	
	Blu-ray Disc™ Triple Writer	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK S761, 13.3-inch HD	LIFEBOOK S761, 13.3-inch HD (for projects only)
General system information		
Chipset	Intel® QM67	Intel® HM65
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module	
BIOS features	BIOS based on Phoenix SecureCore	
Graphics		
TFT resolution (HDMI)	up to 1920 x 1080	
TFT resolution (VGA)	up to 1920 x 1200	
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200	
Max. resolution external display	1920 x 1200 / true color / 60 Hz	
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)	
Graphics features	DualView	
Graphics notes	Shared memory depending on main memory size and operating system	
Interfaces		
Memory card slots	1 (SD)	1 (SD)
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)
Modem (RJ-11)	1 (optional)	1 (optional)
USB 3.0 total	1	
USB 2.0 total	2 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)
VGA	1	1
HDMI	1	1
Ethernet (RJ-45)	1	1
DC-in	1	1
Audio: line-in / microphone	1	1
Audio: line-out / headphone	1	1
Internal microphones	1 (digital)	1 (digital)
Docking connector for Port Replicator	1	1
Kensington Lock support	1	1
Wired communication		
Modem type	Optional: 56 K V.92 modem MDC1.5	
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V
Keyboard and pointing devices		
	Optional spill-resistant keyboard or anti-bacterial spill-resistant keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel Optional: Fingerprint sensor Application buttons	
Multimedia		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Stereo speakers, 1x built-in microphone	
Camera	Optional: Built-in webcam, 1.3 megapixel	

Power supply	
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
1st battery options	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh
	Li-Ion battery 6-cell, 6200 mAh, 67 Wh
2nd battery (optional)	Li-Ion battery 3-cell, 2500 mAh, 27 Wh
Runtime 1st battery	Up to 11:30 h
Runtime 1st + 2nd battery	Up to 16:30 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5,800 mAh batteries
Power consumption	
Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=1e990b41-cd6c-41c8-9995-3094b6654025
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	321 x 228 x 27.1-35.5 mm (depending on display) mm
Weight	1.6-1.8 kg (depending on display)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)
Additional Software	
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Manageability	
Manageability technology	DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology
	DeskUpdate Driver management
Manageability software	DeskView 10.x client management including:
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
System protection	Kensington Lock support

Security	
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Optional: Integrated fingerprint sensor including Omnipass software Optional: Access protection via external SmartCard reader Hard disk password User and supervisor BIOS password

Compliance	
Germany	GS
Europe	CE! Nordic Swan
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified Wireless LAN modules ENERGY STAR® 5.0 Compliant with ISO 9241-307 (Pixel fault class II) EPEAT® Silver (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/

Port Replicator interfaces (optional)	
	Portreplicator
DC-in	1
Power on switch	1
Audio: line-out / headphone	1
USB 2.0 total	4
VGA	1
DVI	1
Serial (RS-232)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology

Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)

Maintenance and Support Services - the perfect extension	
Recommended Service	5x9, Response Time: Next Business Day
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

Fujitsu recommends Windows® 7.

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)		Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.	Order Code: S26391-F655-L100
Port Replicator for LIFEBOOK S761		Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.	Order Code: S26391-F655-L300
2nd battery		With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket!	Order Code: S26391-F954-L500
Car / Truck / Air Adapter		People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime. Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connnected device against interference - for more power on the move.	Order Code: S26391-F2613-L600
Microsaver® DS Ultra thin		The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.	Order Code: S26361-F1650-L900
Privacy filter		Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.	Order Code: S26391-F6097-L134
Prestige Case Midi 16		The Prestige Case Midi 16 is designed to protect notebooks with up to 16-inch screens. The case features oversized pockets to provide storage for power adapters and is also equipped to hold business card and pens. The padded notebook compartment features shock-absorbing foam for added protection. The reinforced luggage strap makes it easy to attach the case to rolling luggage while traveling. The Prestige Case Midi 16 features a professional design, ideal for the traveler who is looking for a functional business case.	Order Code: S26391-F1191-L60

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S761, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S761, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2011-10-18 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions